

HUMAN-COMPUTER THIRD EDITION



Design rules

Chapter 7 adapted by Dr. Kristina Lapin, Vilnius University

design rules

Designing for maximum usability – the goal of interaction design

- Principles of usability
 - general understanding
- Standards and guidelines
 - direction for design
- Design patterns
 - capture and reuse design knowledge

types of design rules

- principles
 - abstract design rules
 - low authority
 - high generality
- standards
 - specific design rules
 - high authority
 - limited application
- guidelines
 - lower authority
 - more general application



Principles to support usability

Learnability

the ease with which new users can begin effective interaction and achieve maximal performance

Flexibility

the multiplicity of ways the user and system exchange information

Robustness

the level of support provided the user in determining successful achievement and assessment of goaldirected behaviour

Learnability

- Predictability
- Synthezability
- Familiarity
- Generalizability
- Consistency

Principles of learnability

Predictability

- determining effect of future actions based on past interaction history
- operation visibility

Predictability

ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE HUMAN-COMPUTER INTERACTION



VS.

Submit data, Go to Step 2



Ś	BBEdit	File	Edit	Text	Font	Search	Tools	Markup	Window	۲	Ś
0 (0 0				3	untitled te	xt=2Add/	'Remove Li	ne Numbe	rs	(
1	f &::	M	r	0	(New D	ocument)	Clear	r Lines Cor	taining		
J. J.			• ••				Colu	mnize			
							Conc	atenate			
							Conf	igure TeX	Coloring		
							Conv	ert to ASC	11		
							Сору	Lines Con	taining		
							Cut L	ines Conta	aining		
							Educ	ate Quotes			
							Hex	Dump			
							Make	Prototype	5		



To enjoy the full experience of webbyawards.com:



Clicking the button will upgrade your browser with the new Microsoft Silverlight plug-in. The upgrade is free, only takes a few seconds and will not require you to restart your computer.

http://www.webbyawards.com/

Principles of learnability

Synthesizability

- assessing the effect of past actions
- immediate vs. eventual honesty

Synthesizability

	×	Name 🔺	Size	Туре
onto		🔂 GIT-GVU-03-31.pdf	169 KB	Adobe Acrobat Docu
ents		The structure vs v2 doc	30 KB	Microsoft Word Doc.
ire	Error Renam	ing File or Folder		ft Word Doc.
el				ft Word Doc.
	Cannot r	ename OnnAnneving: The file is in us	e by the following pr	ft Word Doc.
		endine oppAnnexing. The me is in us	e by the following pi	ft Word Doc.
:h		Microsoft Word		ft Word Doc.
Research				ft Word Doc.
PervasiveCor	You mus	t close the file before proceeding.		ft Word Doc.
ers - by stude		ft Word Doc.		
ars - mine		OK		ft Word Doc.
onMothodo				ft Word Doc.
enmethous				ft Word Doc.
ICIC2004		OppAnnexing.5.15.doc	94 KB	Microsoft Word Doc.
3DInteraction	Maps	Mistake.doc	93 KB	Microsoft Word Doc.
ntrAliceSquea	kWonderland	OppAnnexing-Final.doc	93 KB	Microsoft Word Doc.
		atom 0		







2.





A



C:\WINDOWS\system32\cmd.exe

C:∖>move test.txt test

C:\>dir *.txt Volume in drive C has no label. Volume Serial Number is FCB2-566A

Directory of C:\

25.05.2007 12:36 0 installDebug.txt 1 File(s) 0 bytes 0 Dir(s) 14,052,261,888 bytes free

C:∖≻cd test

C:∖test>dir *.txt Volume in drive C has no label. Volume Serial Number is FCB2-566A

Directory of C:\test

19.11.2007 16:56 0 test.txt 1 File(s) 0 bytes 0 Dir(s) 14,052,261,888 bytes free

C:∖test>

Principles of learnability (ctd)

Familiarity

- how prior knowledge applies to new system
- guessability; affordance



Principles of learnability (ctd)

Generalizability

 extending specific interaction knowledge to new situations



😟 Ad	obe Pho	toshop
File E	Edit Image	Layer Se
	-	Feathe

Ctrl+P

Print...

Principles of learnability (ctd)

Consistency

 likeness in input/output behaviour arising from similar situations or task objectives





	menez	sole lower one l-	1	<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Insert	F <u>o</u> rmat
0	File	Edit <u>Vi</u> ew Inse	3	D	<u>N</u> ew			Ctrl+N
		New CELIN	Ţ	1	Open			Ctrl+O
Ľ		INEW CUTHN	0		Close			
7		Save Ctrl+S			<u>S</u> ave			Ctrl+S
1					Save A	s		
O		Save <u>A</u> s		e	Save as	s Web P	age	
		Page Setup		•	Searc <u>h</u> .			
L 8		3 2	- 6		Pac <u>k</u> an	nd Go		
	۵.	Print Preview	- 1		We <u>b</u> Pa	ige Prev	/iew	
		×			Page Se	etyp		
				R.	Print Pr	eview		

Learnability

- Predictability
- Synthesability
- Familiarity
- Generalizability
- Consistency

Flexibility

- Dialogue initiative
- Multithreading
- Task migratability
- Substitutivity
- Customizability

Principles of flexibility

Dialogue initiative

- freedom from system imposed constraints on input dialogue
- system vs. user pre-emptiveness

Multithreading

- ability of system to support user interaction for more than one task at a time
- concurrent vs. interleaving; multimodality
- Task migratability
 - passing responsibility for task execution between user and system

Principles of flexibility (ctd)

Substitutivity

- allowing equivalent values of input and output to be substituted for each other
- representation multiplicity; equal opportunity

Customizability

 modifiability of the user interface by user (adaptability) or system (adaptivity)

Principles of flexibility

Dialogue initiative

- freedom from system imposed constraints on input dialogue
- system vs. user pre-emptiveness





Principles of flexibility

Multithreading

- ability of system to support user interaction for more than one task at a time
- concurrent vs. interleaving; multimodality



Principles of flexibility

Task migratability

 passing responsibility for task execution between user and system

Task	migratab	llity	
Spelling			X
Not in Dictionary <u>:</u>	migratability		
Change <u>t</u> o:	irritability	Ignore	Ignore All
Suggestions:	irritability	<u>C</u> hange	Change All
		Add	Suggest
Add <u>w</u> ords to:	CUSTOM.DIC	AutoCorrect	Close

Principles of flexibility (ctd)

Substitutivity

- allowing equivalent values of input and output to be substituted for each other
- representation multiplicity; equal opportunity



Principles of flexibility (ctd)

Customizability

 modifiability of the user interface by user (adaptability) or system (adaptivity)

🖯 🔘 🔘 Font & Cold	or Preferences
Show All Previous Next General Font & Colo	Images Bookmarks
Fonts	Colors
Lucida Grande Regular 14.0	Web page background color
Choose proportional font)	Web page text color
Courier Regular 14.0	Link color
Choose fixed-width font	Active link color
Limit page fonts to a maximum of 72 points Smooth text larger than 2 points	Always use these colors (overrides page-specified colors)
0	Default



Principles of flexibility (ctd)

Customizability

 modifiability of the user interface by user (adaptability) or system (adaptivity)

🖯 🔘 🔘 Font & Cold	or Preferences
Show All Previous Next General Font & Colo	Images Bookmarks
Fonts	Colors
Lucida Grande Regular 14.0	Web page background color
Choose proportional font)	Web page text color
Courier Regular 14.0	Link color
Choose fixed-width font	Active link color
Limit page fonts to a maximum of 72 points Smooth text larger than 2 points	Always use these colors (overrides page-specified colors)
0	Default



Principles of flexibility (ctd)

Customizability

	20090423_BasicPrinciples2.pptx - Microsoft PowerPoint										
	Hon	ne	Insert Des	sign Animations	Slide Show	Review	View	Developer	Add-Ins		
Paste	× 4	Ne	Layout -	B Z U abe	20 * A* A*				Shapes Arra	nge Quick	- Al Find al Replace +
*	1	Slid	e 🗸 💥 Delete		<u></u>					Styles - Shape Effects	Select *
Clipboar	rd la	1.	Slides	EX EX	ont	18/11	Paragra	iph	想用	Drawing	Editing



	¥) • ڻ) =	20090423_BasicP	rinciples2.pp1	tx - Microsoft i	owerPoin	t _	= X
Ho	ne Insert De	sign Animations	Slide Show	Review View	Develop	er Add	I-Ins 🕜
Paste	New Slide +	B I U abe	+ 20 + S AV - A A	<mark> </mark> - :三 · ()] :第 :第 [] : · : 章 : 章 : 章		A log	Editing

Flexibility

- Dialogue initiative
- Multithreading
- Task migratability
- Substitutivity
- Customizability

Robustness

- Observability
- Recoverability
- Responsiveness
- Task conformance

Principles of robustness

Observability

- ability of user to evaluate the internal state of the system from its perceivable representation
- browsability; defaults; reachability; persistence;
 operation visibility

🖄 Adobe	💾 Total C	2	100%	• 🖝 🄇	2°) 🐔 🛙	I 🚮 发 I	>∕⊘ 🔓	11:56 PM
browsability;	reachabil	ity	Complex Shape Concersion Cone Cone Cone Cone Cone Cone Cone C	atch Color Style Weight User Data	Gaps			

Principles of robustness

Observability

 browsability; defaults; reachability; persistence; operation visibility

Font ?	
Font Character Spacing Spacing: Normal By: pt ✓ Kerning for fonts: 12 Pgints and above OK Cancel	Tensch-Maschine-Interaktion - 1 - 23 Image: State of the interaktion - 1 - 23

Principles of robustness

Observability

 browsability; defaults; reachability; persistence; operation visibility

Presentation Conference Wizard		×
Start Presenter or audience Slide show details Connection information Connection details Finish	Ask each person for the name of their computer or their Internet address as it appears in this wizard on their computer. Enter that information below.	
[Cancel < Back	J

List 2	Work Area
Item 1	
Item 2	

Item 3

Principles of robustness

• Observability

Acrobat Reader

ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE

HUMAN-COMPUTER

INTERACTION



3. Robastiškumas

Observability

Navigation

INTERNETAS

KABELINĖ TV

FIKSUOTASIS RYŠYS

ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE

HUMAN-COMPUTER

INTERACTION

Internetas | Kabelinė televizija | Fiksuotasis ryšys

PRADŽIA 🔾 DISKUSIJOS 🔾 KONTAKTAI 🕥 DETALI PAIEŠKA

Pagrindinis > LTF > Dokumentai

Automobiliai ir motociklai. (3456)

Automobilių dalys, priedai, Automobilių prekyba, Automobilių priežiūros priemonės, reikmenys, Automobilių stovėjimo aikštelės, garažai, Autoservisai, techninė apžiūra...

Biuro ir buitinė technika, įranga. (2860)

Apšvietimo technika ir įranga, Baldai, Biuro technika, Buitinė technika, įranga, Chemijos gaminiai...

Finansai. Draudimas. Teisė (3611)

Auditas, buhalterinė apskaita, Bankai, Draudimo paslaugos, Finansinė veikla, Lombardai...

Pramogos ir poilsis. (5169)

Botanikos ir zoologijos sodai, Kavinės, barai, restoranai, Kavinių, barų, restoranų baldai, įranga, Kelionių organizavimas, Kino teatrai, kino ir vaizdo studijos...

Pramonės įranga. (1715)

Automatinė įranga, Degalinių, plovyklų, autoservisų įranga, Dujos, dujų tiekimas, įranga, Elektroninė įranga, Elektros mašinos, įranga...

Statyba ir statybinės medžiagos. (7690)

Architektai, projektavimo darbai, Betono ir gelžbetonio gaminiai, Dažai, dažymo įranga, Durys, Elektros instaliacija, montavimo, derinimo darbai...

Principles of robustness (ctd)

Observability

- Slider
 - Part of
 - 5 page of 12



ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE HUMAN-COMPUTER

INTERACTION

Principles of robustness (ctd)

Observability

-Minimalistist design

– pavyzdys iš tiltų projektavimo

Principles of robustness

Recoverability

- ability of user to take corrective action once an error has been recognized
- reachability; forward/backward recovery; commensurate effort

_ a ×	Total Comman	der					
	Do you	really want to delete the	selected file AUTC	EXEC.BAT?			
		Yes No	Cancel		Undo Typing	Ctrl+Z	
OK Cancel					C Repeat Typing	Ctrl+Y	3
					K Cut	Ctrl+X	
		ft PowerPoint - [4-UIDesign			Ctrl+C	
			Office Clip <u>b</u> oard		L		
1 (N)		<u>view</u> insert Format		6	Paste Paste	Ctrl+V	ÍX.
/ - (Undo Nudge Object	Ctrl+Z r + c		Paste Special		ę
	C ⁴	Redo Insert AutoShape	Ctrl+Y		Paste as Hyperli	ink	
	X	Cu <u>t</u>	Ctrl+X				R
	Ē	Copy	Ctrl+C		Cle <u>a</u> r	Del	$^{\circ}$

Principles of robustness (ctd)

Responsiveness

- how the user perceives the rate of communication with the system
- Stability

owerPoint is saving w:\My Documents\Work\Imu\	
	Letterboxing Please wet. This may take a while.
	amera Attached

Principles of robustness (ctd)

Task conformance

- degree to which system services support all of the user's tasks
- task completeness; task adequacy

Using design rules

Design rules

- suggest how to increase usability
- differ in generality and authority



Standards

 set by national or international bodies to ensure compliance by a large community of designers standards require sound underlying theory and slowly changing technology

ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE HIJMAN-COMPLITER

- hardware standards more common than software high authority and low level of detail
- ISO 9241 defines usability as effectiveness, efficiency and satisfaction with which users accomplish tasks

Guidelines

- more suggestive and general
- many textbooks and reports full of guidelines
- abstract guidelines (principles) applicable during early life cycle activities
- detailed guidelines (style guides) applicable during later life cycle activities
- understanding justification for guidelines aids in resolving conflicts

Golden rules and heuristics

ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE HIJMAN-COMPLITER

- "Broad brush" design rules
- Useful check list for good design
- Better design using these than using nothing!
- Different collections e.g.
 - Nielsen's 10 Heuristics (see Chapter 9)
 - Shneiderman's 8 Golden Rules
 - Norman's 7 Principles

Shneiderman's 8 Golden Rules

- 1. Strive for consistency
- 2. Enable frequent users to use shortcuts
- 3. Offer informative feedback
- 4. Design dialogs to yield closure
- *5. Offer error prevention and simple error handling*
- 6. Permit easy reversal of actions
- 7. Support internal locus of control
- 8. Reduce short-term memory load

Norman's 7 Principles

- 1. Use both knowledge in the world and knowledge in the head.
- 2. Simplify the structure of tasks.
- *3. Make things visible: bridge the gulfs of Execution and Evaluation.*
- 4. Get the mappings right.
- 5. Exploit the power of constraints, both natural and artificial.
- 6. Design for error.
- 7. When all else fails, standardize.

HCI design patterns

 An approach to reusing knowledge about successful design solutions

ALAN DIX, JANET FINLAY, GREGORY D. ABOWD, RUSSELL BEALE HIJMAN-COMPLITER

- Originated in architecture: Alexander
- A pattern is an invariant solution to a recurrent problem within a specific context.
- Examples
 - Light on Two Sides of Every Room (architecture)
 - Go back to a safe place (HCI)
- Patterns do not exist in isolation but are linked to other patterns in *languages* which enable complete designs to be generated

HCI design patterns (cont.)

- Characteristics of patterns
 - capture design practice not theory
 - capture the essential common properties of good examples of design
 - represent design knowledge at varying levels: social, organisational, conceptual, detailed
 - embody values and can express what is humane in interface design
 - are intuitive and readable and can therefore be used for communication between all stakeholders
 - a pattern language should be generative and assist in the development of complete designs.

Summary

Principles for usability

- repeatable design for usability relies on maximizing benefit of one good design by abstracting out the general properties which can direct purposeful design
- The success of designing for usability requires both creative insight (new paradigms) and purposeful principled practice

Using design rules

standards and guidelines to direct design activity